

L Number	Hits	Search Text	DF	Time stamp
3	46	((257/662) or (257/664) or (257/275) or (257/738) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and (microstrip or micro-strip or microstripline or micro-strip or micro-stripline) near15 (opening or hole or through-hole or cavity)	USPAT; US-PGPUB; EPO, JPO; DEFWENT; IBM_TDB	2002/11/27 11:38
4	60	((257/662) or (257/664) or (257/275) or (257/738) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and (microstrip or micro-strip or microstripline or micro-strip or micro-stripline) near15 (opening or hole or through-hole or cavity or slot)	USPAT; US-PGPUB; EPO, JPO; DEFWENT; IBM_TDB	2002/11/27 15:00
5	2	ip-54002172\$-\$.dtd.	USPAT; US-PGPUB; EPO, JPO; DEFWENT; IBM_TDB	2002/11/27 15:08
6	0	slot-coupled adj feed and microstrip	USPAT; US-PGPUB; EPO, JPO; DEFWENT; IBM_TDB	2002/11/27 15:11
7	0	slot-coupled adj feed and transmission adj line	USPAT; US-PGPUB; EPO, JPO; DEFWENT; IBM_TDB	2002/11/27 15:11
8	17	slotted adj microstrip	USPAT; US-PGPUB; EPO, JPO; DEFWENT; IBM_TDB	2002/11/27 16:21
9	1	slotted adj microstrip adj line	USPAT; US-PGPUB; EPO, JPO; DEFWENT; IBM_TDB	2002/11/27 16:28
10	1	slotted adj (microstrip adj line or microstripline)	USPAT; US-PGPUB; EPO, JPO; DEFWENT; IBM_TDB	2002/11/27 16:30
11	26	(slotted or slot or opening or hole or through-hole) adj (microstrip adj line or microstripline)	USPAT; US-PGPUB; EPO, JPO; DEFWENT; IBM_TDB	2002/11/27 16:31
12	12	(slotted or slot or opening or hole or through-hole) adj (microstrip adj line or microstripline).ti,ab,clm.	USPAT; US-PGPUB; EPO, JPO; DEFWENT; IBM_TDB	2002/11/27 16:31

13	34	(US-6160313-\$ or US-5962926-\$ or US-5666099-\$ or US-4383226-\$ or US-5811531-\$ or US-4896184-\$ or US-5719560-\$ or US-5744416-\$ or US-4879538-\$ or US-5185661-\$ or US-6437431-\$ or US-53 4818-\$ or US-5117077-\$ or US-3869787-\$ or US-6466680-\$ or US-6966621-\$ or US-5894154-\$ or US-6066678-\$ or US-6220180-\$ or US-6993139-\$ or US-3784883-\$ or US-4875087-\$ or US-5250130-\$ or US-6344667-\$ or US-6441471-\$ or US-5244414-\$).did. or (US-6010038146-\$).did. or JP-(5166965-\$ or JP-06110711-\$ or JP-97124473-\$ or JP-62193801-\$ or JP-01126497-\$).did. or JP-03739803-\$ or JP-00113502-\$).did.)	USPAT; US-PGPUB; EPC; DERWENT	2002.11.27 16:43
14	34	(US-6160313-\$ or US-5962926-\$ or US-5666099-\$ or US-4383226-\$ or US-5811531-\$ or US-4896184-\$ or US-5719560-\$ or US-5744416-\$ or US-4879538-\$ or US-5185661-\$ or US-6437431-\$ or US-53 4818-\$ or US-5117077-\$ or US-3869787-\$ or US-6466680-\$ or US-6966621-\$ or US-5894154-\$ or US-6066678-\$ or US-6220180-\$ or US-6993139-\$ or US-3784883-\$ or US-4875087-\$ or US-5250130-\$ or US-6344667-\$ or US-6441471-\$ or US-5244414-\$).did. or (US-6010038146-\$).did. or JP-(5166965-\$ or JP-06110711-\$ or JP-97124473-\$ or JP-62193801-\$ or JP-01126497-\$).did. or (JP-03739803-\$ or JP-00113502-\$).did.)	USPAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TDB	2002.11.27 16:55
15	0	shattacharya.in. and shafai.in. and slot and impedance	USPAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TDB	2002.11.27 16:56
16	0	shattacharya.in. and shafai.in.	USPAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TDB	2002.11.27 16:56
17	49	shafai.in.	USPAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TDB	2002.11.27 16:56
18	0	shafai.in. and impedance and slot	USPAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TDB	2002.11.27 16:56
19	4	shafai.in. and slot	USPAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TDB	2002.11.27 19:13
20	193	integrated adj circuit and microstrip adj antenna	USPAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TDB	2002.11.27 17:03
21	50	integrated adj circuit and microstrip adj antenna and slot and ground adj (plane or plate)	USPAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TDB	2002.11.27 17:04

22	32	integrated adj circuit and microstrip adj antenna and slot and ground adj (plane or plate) and impedance	USPAT; US-PGFUB; EPI; JFC; DEFWENT; IEM_TLB	2002/11/27 17:04
23	14	integrated adj circuit and microstrip adj antenna and (slot with microstrip) and ground adj (plane or plate) and impedance	USPAT; US-PGFUB; EPI; JFC; DEFWENT; IEM_TLB	2002/11/27 17:06
24	3	semiconductor nearb integrated adj circuit and microstrip adj antenna and (slot with microstrip) and ground adj (plane or plate) and impedance	USPAT; US-PGFUB; EPI; JFC; DEFWENT; IEM_TLB	2002/11/27 17:13
25	0	semiconductor nearb integrated adj circuit and microstrip and scanning adj antenna	USPAT; US-PGFUB; EPI; JFC; DEFWENT; IEM_TLB	2002/11/27 17:14
26	0	semiconductor nearb integrated adj circuit and scanning adj antenna	USPAT; US-PGFUB; EPI; JFC; DEFWENT; IEM_TLB	2002/11/27 17:14
27	76	integrated adj circuit and scanning adj antenna	USPAT; US-PGFUB; EPI; JFC; DEFWENT; IEM_TLB	2002/11/27 17:14
29	0	semiconductor and integrated adj circuit.ti,ab,clm. and scanning adj antenna.ti,ab,clm.	USPAT; US-PGFUB; EPI; JFC; DEFWENT; IEM_TLB	2002/11/27 17:15
28	18	semiconductor and integrated adj circuit and scanning adj antenna	USPAT; US-PGFUB; EPI; JFC; DEFWENT; IEM_TLB	2002/11/27 17:18
30	0	scanning adj array adj antenna.ti,ab. and integrated.ti,ab.	USPAT; US-PGFUB; EPI; JFC; DEFWENT; IEM_TLB	2002/11/27 17:19
31	19	scanning adj2 antenna.ti,ab. and integrated.ti,ab.	USPAT; US-PGFUB; EPI; JFC; DEFWENT; IEM_TLB	2002/11/27 17:20
32	1	scanning adj2 antenna.ti,ab. and integrated.ti,ab. and semiconductor	USPAT; US-PGFUB; EPI; JFC; DEFWENT; IEM_TLB	2002/11/27 17:20

33	34	(US-5185650-\$ or US-5437431-\$ or US-566613-\$ or US-59609.6-\$ or US-616113-\$ or US-41811.6-\$ or US-5801199-\$ or US-4886194-\$ or US-5739569-\$ or US-5744558-\$ or US-487448-\$ or US-5904149-\$ or US-3734583-\$ or US-4575097-\$ or US-5351548-\$ or US-6344667-\$ or US-6441471-\$ or US-5194114-\$ or US-6219189-\$ or US-5894114-\$ or US-5986621-\$ or US-6455590-\$ or US-5896549-\$ or US-5117177-\$ or US-5304811-\$ or US-6756173-\$).did. or US-10010131146-\$).did. or JP-05166965-\$ or JP-62143801-\$ or JP-05226497-\$ or JE-5111011-\$ or JP-51129477-\$).did. or JP-62143801-\$ or JP-6114592-\$).did.	USFAT; US-PGPUB; EPC; DERWENT	2002/11/27 18:44
34	34	(JP-0155650-\$ or US-5437431-\$ or US-566613-\$ or US-59609.6-\$ or US-616113-\$ or US-41811.6-\$ or US-5801199-\$ or US-4886194-\$ or US-5739569-\$ or US-5744558-\$ or US-487448-\$ or US-5904149-\$ or US-3734583-\$ or US-4575097-\$ or US-5351548-\$ or US-6344667-\$ or US-6441471-\$ or US-5194114-\$ or US-6219189-\$ or US-5894114-\$ or US-5986621-\$ or US-6455590-\$ or US-5896549-\$ or US-5117177-\$ or US-5304811-\$ or US-6756173-\$).did. or US-10010131146-\$).did. or JP-05166965-\$ or JP-62143801-\$ or JP-05226497-\$ or JE-5111011-\$ or JP-51129477-\$).did. or JP-62143801-\$ or JP-6114592-\$).did.)	USFAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TIB	2002/11/27 18:44
35	0	miya, m. and "11-010774"	JPC	2002/11/27 19:14
36	16	miya, m. and wiring adj board.ti.	JPC	2002/11/27 20:14
37	2	jp-11519903-\$).did.	JPC; DERWENT	2002/11/27 20:44
38	2	("4347176").PN.	USFAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TIB	2002/11/27 20:45
-	15	((("157/62") or ("157/63") or ("157/64") or ("157/65") or ("157/211") or ("157/66") or ("157/67") or ("157/68") (CCLS.) and (hole or aperture or gap) near15 (signal or transmission) adj3 line) near15 capacitance or impedance or signal adj speed or propagation adj speed	USFAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TIB	2002/11/27 09:00
-	27	((("157/62") or ("157/64") or ("157/65") or ("157/66") or ("157/211") or ("157/68") or ("157/67") or ("157/69") (CCLS.) and (hole or through-hole) near15 (transmission or signal) adj3 line and (impedance or capacitance	USFAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TIB	2002/02/08 12:24
-	2	((("JP-5166965") or ("4566194").PN.	USFAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TIB	2002/02/08 12:40
-	51	((("157/66") or ("157/64") or ("157/27") or ("157/63") or ("157/211") or ("157/69") or ("157/68") or ("157/62") (CCLS.) and ((ground adj plate or signal adj line) near12 (hole or through-hole or slit))	USFAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TIB	2002/07/18 12:34

-	2	((257/662) or (257/664) or (257/275) or (257/756) or (257/211) or (257/690) or (257/691) or (257/692)).CCL3.) and (ground adj plate or signal adj line) near12 (hole or through-hole or slit)) near12 impedance	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/07/18 12:35
-	0	(hole or through-hole) near5 ground adj plate near6 impedance	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/10/29 08:05
-	20	(hole or through-hole) near12 ground adj (plane or plate) near12 impedance	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/10/29 08:05
-	11	(hole or through-hole) near6 ground adj (plane or plate) near6 impedance	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/10/29 08:06
-	21	(die or chip) near1 architecture.ti,ab. and 257,\$6.ccls.	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/10/29 10:30
-	2	("6111289").PN.	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/10/30 10:05
-	81	overlap near3 gate near3 drain near3 channel	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/10/30 10:14
-	9	overlap near3 gate near3 drift adj region	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/10/30 11:25
-	9	((257/288) or (257/335) or (257/337) or (257/337) or (257/339) or (257/348) or (257/390) or (257/341) or (257/342) or (257/343) or (257/344) or (257/345) or (257/401) or (257/402)).CCL3.) and (strip or column or row) near15 drift	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/10/30 13:44
-	20	((257/288) or (257/335) or (257/337) or (257/337) or (257/339) or (257/348) or (257/390) or (257/341) or (257/342) or (257/343) or (257/344) or (257/345) or (257/401) or (257/402)).CCL3.) and overlap34 near12 gate near12 drift	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/10/30 13:46
-	58	((257/328).CCL3.) and overlap34 near12 gate	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/10/30 14:21
-	0	lateral adj dmosfet.ti. and resurf.ti,ab.	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/10/30 14:21
-	0	lateral adj dmosfet.ti,ab. and resurf.ti,ab.	USPAT; US-EGPUB; EID; JFI; DEFWENT; IPM_TDE	2002/10/30 14:21

-	0	lateral adj dmosfet.ti,ab. and resurf	USPAT; US-PGPUB; EPO; JPC; DEFWENT; IBM_TDB	2002/10/30 14:21
-	3	lateral adj dmosfet.ti,ab.	USPAT; US-PGPUB; EPO; JPC; DEFWENT; IBM_TDB	2002/10/30 14:23
-	1	lateral adj mosfet.ti,ab. and 257/342.ccls.	USPAT; US-PGPUB	2002/10/30 15:06
-	20	lateral adj mosfet.ti,ab. and 257/345.ccls.	USPAT; US-PGPUB	2002/10/30 15:06
-	19	lateral adj mosfet.ti,ab. and 257/345.ccls.	USPAT	2002/10/30 15:19
-	0	lateral adj misfet.ti,ab. same resurf	USPAT	2002/10/30 15:20
-	5	lateral adj misfet same resurf	USPAT	2002/10/30 15:25
-	25	resurf.ti.	USPAT	2002/10/30 15:31
-	122	257/333.ccls.	USPAT; US-PGPUB; EPO; JPC; DEFWENT; IBM_TDB	2002/10/30 15:34
-	0	"L29" and drift same gate and lateral and row or column:	USPAT; US-PGPUB; EPO; JPC; DEFWENT; IBM_TDB	2002/10/30 15:55
-	0	"L29" and drift same gate and (row or column	USPAT; US-PGPUB; EPO; JPC; DEFWENT; IBM_TDB	2002/10/30 15:56
-	11	((257/401).CCLS.) and drift same gate and (row or column)	USPAT; US-PGPUB; EPO; JPC; DEFWENT; IBM_TDB	2002/10/30 15:56
-	30	((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)) CCLS.) and transmission adj line and microstrip and impedance and capacitance and (opening or hole	USPAT; US-PGPUB; EPO; JPC; DEFWENT; IBM_TDB	2002/11/27 11:28
-	40	((257/690) or (257/692) or (257/691).CCLS.) or 333/66.ccls.) and transmission adj line and (microstrip or microstripline) and capacitance and impedance or resistance or conductance) near15 (opening or hole)	USPAT; US-PGPUB; EPO; JPC; DEFWENT; IBM_TDB	2002/11/26 21:09
-	34	((257/690) or (257/692) or (257/691).CCLS.) or 333/66.ccls.) and transmission adj line and (microstrip or microstripline) and capacitance and impedance or resistance or conductance) near15 (opening or hole); not ((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692).CCLS.) and transmission adj line and microstrip and impedance and capacitance and (opening or hole)	USPAT; US-PGPUB; EPO; JPC; DEFWENT; IBM_TDB	2002/11/26 21:21
-	1	((333/31A) or (333/116) or (333/124) or (333/204).CCLS.) and hole near15 (impedance or resistance) near15 capacitance	USPAT; US-PGPUB; EPO; JPC; DEFWENT; IBM_TDB	2002/11/27 09:02

-	1	((333/81A) or (333/116) or (333/124) or (333/204)).CCLS.) and (opening or hole) near12 (impedance or resistance) near12 capacitance	USPAT; US-PGEUB; EPO; JFO; DERWENT; IBM_TDE	2002/11/27 10:14
-	87	((333/81A).CCLS.) and (opening or through-hole or hole)	USPAT; US-PGEUB; EPO; JFO; DERWENT; IBM_TDE	2002/11/27 10:19
-	3	((333/124).CCLS.) and (hole or through-hole or opening) and (microstripline or micro-stripline or micro adj stripline or micro adj strip adj line or microstrip adj line or microstrip adj line or microstrip-line)	USPAT; US-PGEUB; EPO; JFO; DERWENT; IBM_TDE	2002/11/27 15:10
-	96	((333/204).CCLS.) and (hole or through-hole or opening) and (microstripline or micro-stripline or micro adj stripline or micro adj strip adj line or microstrip adj line or microstrip adj line or microstrip-line)	USPAT; US-PGEUB; EPO; JFO; DERWENT; IBM_TDE	2002/11/27 15:02
-	31	((333/204).CCLS.) and (hole or through-hole or opening or cavity) near15 microstrip	USPAT; US-PGEUB; EPO; JFO; DERWENT; IBM_TDE	2002/11/27 11:08